



HP State Pollution Control Board
HIM Parivesh Bhawan, Phase-III, Below BCS, New
Shimla-09

Phone No. 0177-2673766, 2673020 FAX-0177-2673018



No. PCB/MSW/Annual Report/C&D/2022- 6681-8461

Dated: 30.07.2022

To,

The Chairman,
Central Pollution Control Board,
Parivesh Bhawan, East Arjun Nagar,
DELHI – 110 0032.

Subject: - Annual Report under Construction & Demolition Rules 2016, for the year 2021-22

Sir,

This is with reference to the Construction & Demolition Waste Rules, 2016 vide which State Pollution Control Board has to submit Annual Reports to CPCB.

In this context, please find enclosed herewith the compiled Annual Reports under the provision of **Construction & Demolition Rules, 2016**, for the year **2021-22** for your reference & further necessary action please.

Thanking You.

Encl: Annual Reports

- Construction and Demolition Rules, 2016
(along with Annexures)

Yours faithfully,

(Apoorv Devgan, IAS)
Member Secretary

Copy to:

1. The Joint Secretary & Mission Director SBM, Ministry of Housing & Urban Affairs, Nirwan Bhawan, New Delhi – 110011.
2. The Pr. Secretary Env. (S&T), Govt. of HP for information Please.
3. The Pr. Secretary, Urban Development Govt. of HP for information please.
4. The Director, Urban Development Talland for information and necessary action please.

(Apoorv Devgan, IAS)
Member Secretary,
HPSPCB, Shimla-9
mshppcb@gmail.com



HP State Pollution Control Board
HIM Parivesh Bhawan, Phase-III, Below BCS, New
Shimla-09

Phone No. 0177-2673766, 2673020 FAX-0177-2673018



No. PCB/MSW/Annual Report/C&D/2022- 6681-841A Dated: 30-07-2022

To,

The Chairman,
Central Pollution Control Board,
Parivesh Bhawan, East Arjun Nagar,
DELHI – 110 0032.

Subject: - Annual Report under Construction & Demolition Rules 2016, for the year 2021-22

Sir,

This is with reference to the Construction & Demolition Waste Rules, 2016 vide which State Pollution Control Board has to submit Annual Reports to CPCB.

In this context, please find enclosed herewith the compiled Annual Reports under the provision of **Construction & Demolition Rules, 2016**, for the year **2021-22** for your reference & further necessary action please.

Thanking You.

Yours faithfully,

Encl: Annual Reports

- Construction and Demolition Rules, 2016
(along with Annexures)

(Apoorv Devgan, IAS)
Member Secretary

Copy to:

1. The Joint Secretary & Mission Director SBM, Ministry of Housing & Urban Affairs, Nirwan Bhawan, New Delhi – 110011.
2. The Pr. Secretary Env. (S&T), Govt. of HP for information Please.
3. The Pr. Secretary, Urban Development Govt. of HP for information please.
4. The Director, Urban Development Talland for information and necessary action please.

(Apoorv Devgan, IAS)
Member Secretary,
HPSPCB, Shimla-9
mshppcb@gmail.com

Form -IV
See [Rule (8)(3)]
Format of Annual Report to be submitted by the State Pollution Control Board /
Committees to the
Central Pollution Control Board

To,

The Chairman,
Central Pollution Control Board,
Parivesh Bhawan, East Arjun Nagar,
Delhi-110032

1	Name of the State/Union territory :	Himachal Pradesh
2	Name & address of the State Pollution Control Board/Pollution Control Committee:	H.P. State Pollution Control Board, Him Parivesh, Phase-III, New Shimla- 171009 (H.P).
3	Number of municipal authorities responsible for management of municipal Solid wastes in the State/Union territory under these rules :	Municipal Corporations :05 Municipal council :29 Nagar Panchayat :27 Cantonment Board :07
4	A Summary Statement on progress made by municipal authorities in respect of implementation of Schedule III:	Attached Schedule-III
5	A Summary Statement on progress made by municipal authorities in respect of implementation of Schedule IV	Schedule- IV is not in C& D Rules, 2016. However progress made by ULBs is enclosed as Attached Annexure-I (C&D waste).

Date 30/07/2022
Shimla


(Apoorv Devgan, IAS)
Member Secretary
HP State Pollution Control Board, Shimla
Telephone No. 0177-2673766

Schedule III
Timeframe for Planning and Implementation
[See Rule 13]

Sl. No.	Compliance Criteria	Cities with population of 01 million and above	Cities with population of 0.5-01 million	Cities with population of less than 0.5 million
1	Formulation of policy by the state government.	No city in Himachal Pradesh is with population above 1 Million.	Policy prepared (enclosed)	Policy prepared (enclosed)
2	Identification of sites for collection and processing facility.		As per Annexure- I (C&D)	As per Annexure- I (C&D)
3	Commissioning and implementation of the facility.		As per Annexure- I (C&D)	As per Annexure- I (C&D)
4	Monitoring by SPCBs.		There is no C&D Facility Developed in 2021-22.	There is no C&D Facility Developed in 2021-22.

Annexure-I (C&D Waste) 2021-22

Sr. No.	Name of ULB	Collection	Storage	Transportation	Disposal/Remarks
1.	MC SHIMLA	- Population -1,69,578 - C&D waste generated during the whole year in peak period- 4.64 TPD - Total quantity of collected of C&D waste per day 4.64 TPD - Lean and peak period generation per day: Lean period- December-Janurary : almost Nil (depending upon snowfall) Peak period- May-Sept. : Nil - The C&D Waste is being utilized for back filling against the retaining walls and covering the waste rejects at the landfill site at Bhariyal. 1 No. of landfill sites used with the area 9.928 Hac.	- Four number Dumper containers (Orange Colored) are placed throughout the city for the collection of the C&D Waste and the transportation is being carried out by MC Shimla. - While providing permission for new construction/addition /alteration of the waste building, the assessment of the waste generation is being done and the builders/ house owner is asked to deposit/transport the waste to the storage facility at Bhariyal by deploying their own vehicle. 4.5 CM dumper containers. - Mechanical (Dumper placers are used for transportation of the C&D waste to storage facility at Bhairyal).	- Waste transported through 6 nos. of existing dumper- placer. - Required- 8 nos. of dumper placer and proposed 2 nos.	- Yes, proposal has been made to improve C&D Waste Management practices: 4 dumper containers are placed in different parts of City. It is proposed to place one more dumper container. - The Storage site has been earmarked at waste to energy plant at Bhariyal. - It is proposed to set up a 3.0 Tons/day capacity processing plant looking into consideration the future demand/ waste generation. - Efforts made to involve PPP- Presently waste is being used for back filling and covering the waste rejects at the landfill site. - To check unauthorized operations- Action as per HPMC Act, 1994. - Yes, Municipal magistrate appointed for taking penal action for non-compliance with rules. - Yes weigh bridge facility used for quantity estimation. - Yes C&D waste used in sanitary landfill.

2	MC RAMPUR	- Population- 9239. - C&D waste collected per day 0.38 tpd.	All storage bins/collection spots are not attended for daily lifting.	Truck used for transportation.	1 no. of landfill site available with area used 7850 hectare. - No weigh-bridge facility used for quantity estimation. - No C&D waste used in sanitary landfill (for solid waste) as per schedule III. - Regular visits paid on river bank and wet bodies' sites to check unauthorized operations. - Awareness generation activities.
3	MC THEOG	Population 4351.	Lifting of C&D waste from storage bin- manual mode.	1 no. Truck used for transportation of C&D waste.	1 no. of landfill site used (private land) - No weigh-bridge facility used for quantity estimation.
4	MC ROHRU	- Population 6875. - Total quantity of C&D waste generated during the whole year in metric Ton: 10MT - Construction and demolition waste not used in sanitary landfill as per Schedule-III. - No processing/recycling facility set up in the city.	Lifting of C&D waste from storage bin- manual mode.	Transportation- Used 2 nos. of tractor trailer and 1 no. of dumper-placers are used for transportation of C&D waste.	No weigh-bridge facility used for quantity estimation.

5	NP NARKANDA	- Population 901. 85.00 cm for lean period and peak period generation per day.	All storage bins/collection spots are collected for daily lifting, manually.	1 no. Truck-Hydraulic used for transportation of C&D waste.	- No weigh-bridge facility used for the quantity estimation. - Inspection Squad is available to check unauthorized operation.
6.	NP Anni	No processing/recycling facility set up in the city.	All storage bins/collection spots are not collected for daily lifting, manually.	Nil	No weigh-bridge facility used for the quantity estimation.
7	NP SUNNI	- Population 901. 85.00 cm for lean period and peak period generation per day.	No bins in the city.	Transportation through 1 no. Truck-Hydraulic.	1 no. site has been identified for the disposal of C&D waste near ITI at ward no.4. - Dry process 0.4 tpd. - Wet process 0.5 tpd.
8	NP CHOPAL	- Population 1851. - Lean and peak period generation per day: Self maintained by individual - Total quantity of C&D waste processed/recycled (in metric ton); others, if any, please specify: Land transfer case is under consideration.	---nil---	--nil--	1 no. site has been identified for site disposal of C&D waste near Bus stand Chopal at forest land. - Area : 728 Sq.mtr. - No weigh-bridge facility used for the quantity estimation. - Sub-Divisional Level flying Squad is constituted to keep watch & check illegal dumping. - No, Municipal Magistrate appointed for taking penal action for non-compliance with these rules.

9	NP KOTKHAI	- Population 1190. - Total quantity of construction and demolition waste processed /recycled Non-structural concrete aggregate 945.89 MT. - Ready-mix concrete 918 metric ton. - Paving blocks 80.18 MT	NIL	--NIL--	- No landfill site available. - No weigh-bridge facility used for the quantity estimation.
10	NP JUBBAL	Population 1640.	- Storage bin –Nil. - Yes, area or location or plot or societies covered for collection of C & D Waste. - Area or location or plot or societies collection is practised by Local Body.	Nil	- Provision for check unauthorized operations: YES. - Yes Municipal Magistrate appointed for taking penal action for non-compliance with these rules. - No weigh-bridge facility used for the quantity estimation.
11	MC SOLAN	Population 47418 (1000 additional floating population)	- Total quantity of construction and demolition waste processed/ recycled: C&D Waste is used in retaining walls, road metaling etc. - Area or location or	One Pickup available	- No C&D waste used in sanitary landfill (for solid waste) as per schedule III. - provisions to check unauthorized operations: Unauthorized filling of low line are: sign boards with penalty clause has been

			plot or societies covered for collection of Construction and Demolition waste: 4 spots have been identified as C&D collection centres in the city. • All storage bins/collection spots are not attended for daily lifting. • Whether lifting of Construction & Demolition Waste from Storage bins is manual or mechanical : manual labour & pick-up		placed on various locations in the city Mixing with solid waste: MC Solan deputed field supervisors in all the wards to check and spot challanas has been imposed on the violators Encroachment in Parks, Footpaths etc.: Staff has been deputed by MC Solan for removal of encroachment in the city
12	MC NALAGARH	• Population 10702. • Total quantity of C&D waste generated during the whole year in metric ton: Approximated 1500 MT. • Any figures for lean period and peak period generation per day: No • Average generation of C&D waste (TPD): 2.5 MT/day • Total quantity of C&D waste collected per day	• --nil--	• Dumper placers provided by the JBR Environment Technology.	• Yes C & D Waste used in sanitary landfill for solid waste.

		(TPD): collected	Not		
13	MC PARWANOO	- Population 28758 (including Floating population). - Total quantity of C&D waste processed/recycled: Site has been identified and notified.	- Lifting of C&D waste from storage bin is done manually. - Area or location or plot or societies covered for collection of C&D waste: Spots have been identified for C&D waste collection.	One pick-up available	1 no. of landfill site used having area 9500 Sq.mtr. - No weigh-bridge facility used for the quantity estimation. - No C&D waste used in sanitary landfill (for solid waste) as per schedule III. - Provision to check unauthorized operation: C&D waste collected & dumped at the site; the sanitation team conducts inspections from time to time.
14	MC BADDI	- Population-29911 - Total quantity of C&D waste generated during the whole year in metric ton: Approximated 2500 MT. - Any figures for lean period and peak period generation per day: No - Average generation of C&D waste (TPD): 3-4 MT/day - No processing/recycling facility set up in the city.	--Nil--	--Nil--	Yes C&D waste used in sanitary land fill.

15	NP ARKI	Population- 3038.	Nil	Nil	- No weigh-bridge facility used for quantity estimation. - No C&D waste used in sanitary landfill (for solid waste) as per schedule III. - To check unauthorized operation- By supervision.
16	MC NAHAN	- Population-29014. - For lean period and peak period generation per day : Avg. 0.7 TPD - Average generation of C&D waste – Avg. 0.7 tpd. - Quantity of C&D waste collected per day 0.5 Tpd.	--nil—	Nil	1 no. of landfill site available with 1.5 bigha. Area. - No weigh-bridge facility used for quantity estimation. - Provision to check unauthorized operation- Site inspection is being done regularly by M.C. employees.
17	MC PAONTA	- Population- 25183.	Storage- All the Metircalc are being used in filling the plinth area of the Building	Nil	- Yes weigh-bridge facility used for quantity estimation. - Provisions to check unauthorized operation – Site inspection is being done regularly by MC and no dumping is allowed.

18	NP RAJGARH	• Population- 3083. • Quantity of C&D waste generated during the whole year in metric ton: 20.25 MT. • Average generation of C&D waste : 75 kg or 0.075 tpd • Total quantity of C&D waste processed/recycled (in metric ton): NIL; others, if any, please specify: Used in land filling in private land	• Area or location or plot or societies covered for collection of C&D waste : N.P. Town.	• Transportation- By the householder themselves.	• 02 no. of landfill sites used. • No weigh-bridge facility used for quantity estimation. • Whether any proposal has been made to improve C&D waste management practices: it is being dumped in private land filling by the guarantors themselves. • Provisions available to check unauthorized operations of: being charged as per the provisions of MSW Rules, 2016 and HPMC Act, 1994
19	MC BILASPUR	• Population- 13654. • No weigh bridge facility used for quantity estimation.	• --nil--	• --nil--	• To check unauthorized operation – Regular visits paid on river bank and wet bodies' sites to check unauthorized operation. • Awareness generation activities. • Committee has been constituted for taking penal action for non-compliance with rules.

20	MC SHRI NAINA DEVI JI	- Population 1204. - Quantity of waste generated whole year approx. .20 Tonne - For lean period and peak period generation per day : 0.04-0.06 Tonne - Average generation of C&D waste: 0.05 tpd	- Storage facilities- Area covered for collection of C&D waste 0.92 sq. Km. - All storage bins/collection spots are not attended for daily lifting.	Nil	2 no of landfilling site used, area used 1500 sq. m. - Provision to check unauthorized operation : Field visits by officials of this ULB
21	MC GHUMARWIN	Population – 7899	All storage bins/collection spots are not attended for daily lifting.	---nil---	- No weigh-bridge facility used for quantity estimation. - C&D waste not used in sanitary landfill. - Yes, proposal has made to improve C&D waste management practices. In the upcoming house meeting a resolution will be passed for c/o retaining wall at site. - To check unauthorized operation – provision of notice and imposition of fine under MC Act, 1994 - Yes, municipal magistrates have been appointed for taking penal action for non-compliance with these rules and no case has been registered in the last three years.

22	NP TALAI	- Population 2372. - C&D waste generated during the whole year 70 ton. - Total Quantity of C&D waste processed/ recycled (in MT): 70 Filling low lying areas.	--nil--	Transportation is done through 1 no. of truck.	To check unauthorized operation – As per Municipal Act, 1994.
23	M.Corp. MANDI	- Population-41375 - C&D waste generated during the whole year 1314 ton. - Average generation of C&D waste: 3.6 tpd.	---nil---	---nil---	- Proposal for improve C&D Waste management Practices : sit is being identified. - No weigh-bridge facility used for quantity estimation.
24	MC SUNDERNAGAR	- Population-24344. - C&D waste generated during the whole year 95 ton. - Average generation of C&D waste : 0.26 tpd. - Total quantity of C&D waste disposed by land filling without	- Storage facilities- Area falling under MC Sundernagar. - Storage bins/collection spots are not attended for daily lifting.	C&D waste transported- By waste generator through their own vehicle.	- C&D waste not used in sanitary landfill. - To check unauthorized operation – Inspection is being done regularly.

		processing or filling low lying areas: 6 No. of landfill sites used and area used 18980 Sqm.			
25	MC NERCHOWK	- Population- 8528. 1 no. of large projects (including roadways project) covered.	--nil--	Two facilities used for processing and disposal of plastic waste : ACC Barmana & Rekart Pvt. Ltd.	- No. of landfill sites used: nil. - C&D waste not used in sanitary landfill. - No weigh-bridge facility used for quantity estimation. - Mention briefly, the difficulties being experienced by the local body in complying with provisions of these rules, including the financial constraints, if any: ACC Baramana not sending vehicle for handling over the plastic waste.
26	NP SARKHAGHAT	- Population- 5433 - Any processing/ recycling facility set up in the city: site identified for processing of C&D waste near Dangoi Nallah, Ward No. 3 Jamsai. - Status of the facility: Site identified for processing of C&D waste near Dangoi Nallah, Ward No. 3, Jamsai	Nil	--nil--	Only land has been identified for sanitary landfill as per Schedule III.

27	NP JOGINDER NAGAR	Population – 5337	--nil--	---nil---	- C&D waste not used in sanitary landfill. - No weigh-bridge facility used for quantity estimation.
28	NP REWALSAR	Population-1821.	Nil	Nil	Proposal for improve C&D Waste management Practice is under construction.
29	NP KARSOG	- Population-2626. - C&D waste generated during the whole year 50 ton. - Total quantity of C&D waste collected per day: 1.3 tpd	Nil	--nil--	- No weigh-bridge facility used for quantity estimation. - C&D waste not used in sanitary landfill. - Proposal to improve C&D Waste management Practices: site is being identified.
30	MC KULLU	- Population-18,536 - MC Kullu doesn't have any C&D waste now, but three sites have been identified and letter in this regard has been sent to SDO (c) for further permission to use land for C&D waste.	----nil----	--nil--	In MC all land is vested with forest dept. and they are checking unauthorized operations. Unauthorized filling of low lying areas mixing with solid waste: Challaned under SWM Rules, 2016.

31	NP Nirmand	Population- 5000	Storage bins/collection spots are not attended for daily lifting.	Nil	Nil
32	MC MANALI	Population-8095.	- MC Area covered for collection of C&D waste - No processing/recycling facility set up in the city. - No. of large projects covered: National Highway 3	--nil--	- MC area all land is vested with forest department and they are checking unauthorised dumping. - The MC Manali has selected land near Chandermukhi hotel for C&D waste dumping.
33	NP BHUNTER	Population-4475	---nil---	---nil---	There is no site under the jurisdiction of N.P Bhunter for construction and Demolition waste
34	NP BANJAR	Population- 1414; 3500 (Floating)	--nil--	--nil--	- No weigh-bridge facility used for quantity estimation. - C&D waste not used in sanitary landfill. - Yes municipal magistrates appointed for taking penal action for non-compliance with these rules.
35	MC UNA	Population- 18722.	----NIL----	NIL	1 no. of landfill site available.

36	MC SANTOKGARH	Population-9363	Storage facilities- Area covered for collection of C&D waste : 2 Canal, Near Ghate wala Khuh, Ward No. 08, Santokhgarh.	--nil--	- No weigh-bridge facility used for quantity estimation. - C&D waste not used in sanitary landfill. - Proposal to improve C&D Waste management Practices: Site for dumping of C&D Waste has been identified (Near Ghatewala Khuh, Ward No. 08)
37	NP DALAUTPUR Chowk	Population-3763.	--nil--	Existing Actually Required/Proposed number : 1 No. of truck hydraulic, 1 No. of tractor trailer, 5 No. of tricycle	- No weigh-bridge facility used for quantity Estimation. - C&D waste not used in sanitary landfill.
38	NP GAGRET	- Population-3850 as per census 2011+1500 floating. - Any figures for lean period and peak period generation per day: not being measured - Any Processing / Recycling Facility set up in the city; Status of the facility: Land identified (Krishna Nagar)	- Lifting of C&D waste from storage bin is by manual as well as mechanically using JCB & Tippers (if need). - Area or location or plot or societies covered for collection of C&D Waste: Site identified at Krishna Nasar (Gagret)	Existing Actually Required/Proposed number : 1 No. of truck hydraulic, 1 No. of tractor trailer, JCB hired through Contractor (If need arises)	1 no. of landfill site used with area 800 sq. mt. - C&D waste not used in landfilling. - No weigh-bridge facility used for quantity estimation.

39	NP MEHATPUR	- Population-9218. - C&D waste generated during the whole year 140.0 MT. - Waste collected per day approx. 1.0 MT. - Total C&D waste disposed by land filling without processing: 150.00 MT	- Storage facilities- Area covered for collection of C&D waste: Whole town. - Area collection is practiced: Being disposed by public themselves.	--nil--	1 no. of landfill site used - C&D waste not used in sanitary landfill. - No weigh-bridge facility used for quantity estimation. - Any efforts been made to involve PPP for processing of C&D Waste: Yet not.
40	NP TAHLIWAL	Population- 3565	--nil--	Nil	C&D waste not used in sanitary landfill.
41	NP AMB	- Population-7234.	Nil	Existing Actually number : 2 tractors hired privately, 20 Nos. tricycle.	Private weigh-bridge facility is available.
42	MC HAMIRPUR	Population- 17604.	Storage facilities- Area covered for collection of C&D		1 no. of land fill site is used with area 4 kanal. - No weigh-bridge facility is

			waste : dumping site constructed at Bajuri. Lifting of C&D waste from storage bins is manual.	- Existing: 1 No. of truck-hydraulic and 05 No. of tricycle. - Required: 1 No. of truck and 02 no. of truck hydraulic, 11 No. of Tricycle for transportation of C&D waste.	used for quantity estimation. - C&D waste not used in sanitary landfill. - To check unauthorized operation- 01No. of JE, 01 No. of Work supervisor and 1 no. safai jamadar to check time to time.
43	MC SUJANPUR	Population- 7943.	Lifting of C&D waste from storage bins is manual.	- Existing: 1 No. of truck-hydraulic and 10 No. of tricycle. - Required: 1 No. of truck and 15 no. Tricycle for transportation of C&D waste.	1 No. landfill site used; Area used: 5 Kanal - No weigh-bridge facility used for quantity estimation. - C&D waste not used in sanitary landfill. - To check unauthorized operations:- 1 No. of JE and 1 No. of MC employee keeps a check on assigned duties from time to time.
44	NP NADAUN	- Population-4430 1 No. of landfill sites used and Approx. 5 Kanal area used.	Lifting of C&D waste from storage bins is manual.	Required 1 no of tractor-trailer, 1 no. of dumper placers and 1 no. Tricycle for transportation of C&D waste.	- C&D waste not used in sanitary landfill. - No weigh bridge facility used for quantity estimation.

45	NP BHOTA	Population-1453	- No, all storage bins/collection spots are not attended for daily lifting. - Lifting of C&D waste from storage bins is manual.	Required 1 no of truck-Hydraulic, 1 no. of dumper placers and 1 No. Tricycle for the transportation of C&D waste.	- Total quantity of C&D waste disposed by land filling without processing or filling low lying areas: 1 No. of landfill sites used and Approx. 1 Kanal area used. - No weigh bridge facility used for quantity estimation. - C&D waste not used in sanitary landfill.
46	MC DHARAMSHALA	- Population -53543. - C&D waste - Yet to be assessed.	- Storage Facilities- 15 No. storage bins are proposed for future. - No, all storage bins/collection spots are not attended for daily lifting. - Total quantity of construction and demolition waste collected per day Any Processing/ Recycling Facility set up in the city: Landfill site.	Nil	- No weigh-bridge facility is used for quantity estimation. - Parking construction site near Kajlot park ward no. 4. - Parking and park construction site near IHSDP project site near cricket stadium ward no. 13. - Proposed parking lots near Shilla Chowk ward no. 16. - Area used : 1500 Sqm.

47	MC KANGRA	- Population-9528. - Total quantity of C&D waste generated during the year 18 ton. - Lean and peak period generation per day: 04 Ton - Average generation of C&D waste: 0.08 Ton	No, all storage bins/collection spots are not attended for daily lifting.	-Nil	- No weigh-bridge facility is used for quantity estimation. - C&D waste not used in sanitary landfill. - Provision to check unauthorized operation-Time to time inspection being done to check the dumping of solid waste. 2No. of C&D waste site at Ward No.5 and Ward No.6 (MC Kangra is not processing and recycling C&D waste as all the waste is being used for path and filling of land)
48	MC PALAMPUR	- Population- 40385. - Total quantity of C&D waste generated during the whole year: 36 MT. - Lean period generation per day: 0.6 Ton. - Average generation 2tpd - Any Processing/ Recycling facility set up in the city: 2 No. of C&D waste site at ward No. 4 and ward No. 6 (Municipal Corporation Palampur, Distt. Kangra is not processing and recycling C&D waste as all the waste is being used for path	No, all storage bins/collection spots are not attended for daily lifting.	Nil	- No weighbridge facility used for quantity estimation. - C&D waste not used in sanitary landfill.

		and filling of land.)			
49	MC NURPUR	- Population-9807. - Total Quantity of construction and Demolition waste generated during the whole year in 10 MT. - Lean period generation per day: 0.04 Ton. - Average generation 0.80 Ton. - Any Processing/ Recycling facility set up in the city: Land Fill Site.	No, all storage bins/collection spots are not attended for daily lifting.	-NIL-	1 no of landfill site used - C&D waste not used in sanitary landfill. - No weigh-bridge facility used for quantity estimation. - Time to time inspection being done to check the waste.
50	MC NAGROTA	- Population- 5900. - C&D waste generated during the whole year: Data not available/ Quantity not measured.	All storage bins/collection spots are not attended for daily lifting.	-NIL-	- No C&D waste used in sanitary landfill. - No weigh-bridge facility used for quantity estimation. - Provisions to check for unauthorized operations: The MC has motivated the public of town that they dispose of all the C&D waste at notified C&D site.
51	MC DEHRA	- Population- 4816. - Total quantity of C&D waste processed/ recycled; others, if any, please specify: site near Rehan Basera used for C&D waste.	Lifting of C&D waste from storage bins is manual.	1 no. of truck, truck-hydraulic, tractor-trailer and tricycle is required/proposed for the transportation of C&D waste.	1 No. landfill site used; Area used: 1 Kanal - C&D waste not used in sanitary landfill site. - No weigh bridge facility is used for quality estimation. - To check unauthorized operations:- 1 No. of JE, work supervisor and safai Jamadar keep a check

					on assigned duties from time to time.
52	MC JAWALAMUKHI	Population- 5361.	Lifting of C&D waste from storage bins is manual.	1 No. of truck-hydraulic and 5 tricycle are being used for transportation of C&D Waste. 1 no. of truck, 2 no. of truck-hydraulic, 1 no. of tractor- trailer and 11 no. of tricycle is required/proposed for the transportation of C&D waste.	1 No. landfill site used; Area used: 4 Kanal - No weigh bridge facility is used for quality estimation. - C&D waste not used in sanitary landfill site. - To check unauthorized operations:- 1 No. of JE, work supervisor and safai Jamadar keep a check on assigned duties from time to time.
53	NP BAIJNATH	Population- 17832.	All storage bins/collection spots are not attended for daily lifting.	Nil	- No weigh – bridge facility used for quantity estimation. - C&D waste not used in sanitary landfill site.
54	NP JAWALI	- Population- 10788. - C&D waste generated during the whole year 24 Ton. - Lean and peak period generation of C&D waste is .09 Ton. - Avg. generation of C&D waste is 1.0 Ton.	- No, all storage bins/collection spots are not attended for daily lifting. - Lifting of C&D waste from storage bins in manual and equipment using Tractor trolley.	Nil	- No weigh – bridge facility used for quantity estimation. - C&D waste not used in sanitary landfill. - To check unauthorized operations:- Time to time inspections are being conducted to check the waste.

55	NP SHAHPUR	Population- 4091	No, all storage bins/collection spots are attended for daily lifting.	Nil	- No weigh – bridge facility used for quantity estimation. - C&D waste not used in sanitary landfill.
56	MC CHAMBA	- Population-19933 - C&D waste not used in sanitary landfill.	Any processing Recycling Facility set up in the city: Sarotha Nallah and JN Vidyalaya (Temporary Site)	Nil	- No weigh – bridge facility used for quantity estimation. - No landfill site for C&D waste.
57	MC DALHOUSIE	- Population 7051 - C&D waste generated during the year 10 Ton. - Lean and peak period generation per day 0.05 Ton and 0.12 Ton - Average generation of C&D waste 0.04 Ton.	- Area or location or plot or societies covered for collection of C&D: Lover Walk Road Dalhousie. - No, all storage bins collection spots are not attended for daily lifting.	C&D waste is transported through 1 no. dumper placers.	- Brick bats and concrete waste used for soiling and back filling of retaining and breast walls. 1 no. of landfill sites used having area 250 Sqm. - No, C&D waste not used in sanitary landfill.

58	NP CHOWARI	- Population- 3770. - C&D waste generated during the year 50 MT.	No large project executed in Nagar Panchayat jurisdiction.	Nil	- Proposal to Improve C&D waste Management practices – Presently no source of C&D waste generation is in existence, if it persists in future, necessary proposal will be made for its processing. - Check for Unauthorized operation- separate engineering section is there to check the same.
59	CANTONMENT BOARD JUTOGH	Population-2062.	Storage bins/collection spots are attended for daily lifting.	--nil--	- No weigh – bridge facility used for quantity estimation. - No, C&D waste not used in sanitary landfill. - No landfill site for C&D waste.
60	CANTONMENT BOARD KASAULI	- Population- 3885. - C&D waste generated during the whole year 0.02 ton (avg.) approx. - Lean and peak period generation per day 0.02 ton. - Average generation and collection of C&D waste 0.02 ton. - No processing/recycling facility set up in the city. - The waste collected be dumped in land filling site.	- Area or location or plot or societies collection is practiced by Private Agency. - All storage bins/collection spots are not attended for daily lifting.	Truck and truck-hydraulic are used for the transportation of the C&D waste.	1 no. of land fill site used with area 500 sqm. - No weigh – bridge facility used for quantity estimation. - No, C&D waste not used in sanitary landfill. - To check unauthorized operation of: Unauthorized filling of low line areas: By field staff- By Field Staff Encroachment in Parks, Footpaths etc.: By Field Staff

61	CANTONMENT BOARD YOL	Population-12028.	--nil--	--nil--	- No proposal has been made to improve C&D waste management practices - Provision for check of unauthorized operation-Regular checking by CB Staff.
62	CANTONMENT BOARD DALHOUSIE	Population – 3549	--nil--	-- nil--	- Proposal to improve C&D waste management Practice – Presently no source of C&D waste generation is in existence, if it persists in future, necessary proposal will be made for its processing. - To check unauthorized operation – Separate Engineering Section is there to check the same. - No Slum notified
63	CANTONMENT BOARD BAKLOH	1805 population	--nil--	--nil--	- Proposal to improve C&D waste management Practice – Presently no source of C&D waste generation is in existence, if it persists in future, necessary proposal will be made for its processing. - To check unauthorized operation – Separate Engineering Section is there to check the same. - No Slum notified
64	CANTONMENT BOARD SUBATHU	Population-3685	Storage bins/collection spots not attended for daily lifting.	Nil	- No weigh-bridge facility used for quantity estimation. - No, C&D waste not used in sanitary landfill. - Proposal to improve C&D waste management

					Practice: No construction activities are going on in the area. • Provision for check of unauthorized operation- Regular checking by CB Staff.
65	CANTONMENT BOARD DAGSHAI	• Population-2904.	• Storage bins/collection spots not attended for daily lifting.	• NA	• No weigh-bridge facility used for quantity estimation. • No, C&D waste not used in sanitary landfill.

Note: - The information in the statement is compiled based on the reports filled by Local Bodies /concerned Regional Officer(s) of the State Board.